

VISAKHAPATNAM URBAN DEVELOPMENT AUTHORITY

PROCEEDINGS OF THE VICE CHAIRMAN, VUDA, VISAKHAPATNAM PRESENT:: Dr. T.BABURAO NAIDU, PhD, IAS.
BUILDING PERMIT ORDER

Rc.No.10858/2014/L8, Dt:04-9-2015

Sub:- VUDA - VSP - Planning - Approval of plans for construction of Residential Apartment building with Stilt+G+3 floors to an extent of 387.28 Sq.Mts in T.S.Nos.973 & 974 of Kothapeta North Ward, Goudi Veedhi of Vizianagaram Municipality, Vizianagaram Mandal & District - Applied by Smt.M.Chinna Narasayamma & 2 others - Technical clearance accorded - Orders issued.

Read:- 1.Building application Dt:03-12-2014 of Smt.M.Chinna Narasayamma & 2 others.

2. This office letter even No. Dt:07-01-2015.

3.Letter Dt;22-04-2015 of Smt.M.Chinna Narasayamma & 2 others.

4. This office letter even No. Dt:17-07-2015.

5.Orders of the Vice Chairman, VUDA Dt:12-8-2015.

6. This office letter even No. Dt:19-08-2015.

7. Letter Dt: Nil of Smt. M. Chinna Narasayamma & 2 others.

ORDER:-

Your application submitted in the reference $\mathbf{1}^{st}$ cited has been examined with reference to the rules and regulations in force and permission is hereby sanctioned conditionally as detailed below.

Α	APPLICATION AND LICENSED PERSONAL DETAILS:						
1	Applicant	Smt.M.Chinna Narasayamma & 2 others					
2	Developer/Builder	M/s.Pride Property Developers & Consultants		Lie No		252/2014-16 (Valid upto 23-05-2017)	
3	Licensed Technical Person	Sri T.Srinivasa Rao		Lic	.,	CA/2000/26320 (Valid upto 31-12-2017)	
4	Structural Engineer	Sri R.D	Devid Sanjay Lic			013/2012-15 (Valid upto 03-07-2018)	
5	Others	20.00					
В	SITE DETAILS						
1	T.S. No.		T.S.No.973 & 974				
2	Premises / D.No.						
3	Plot No.		w=				
4	Layout / Sub Div. No.						
5	Street		Kothapeta North Ward				
6	Locality		Goudi Veedhi of Vizianagaram Municipality				
7	Town / City		Vizianagaraam Mandal & District				
С	DETAILS OF PERMISSION SANCTIONED						
1	Floors	Stilt	Ground Floor	First Floor (M²)	Second Floor	Third Floor	
2	Residential Use	Area (m²)	Area (m²)	Area (m²)	Area (m²)	Area (m²)	
а	Residential	204.40	204.40	204.40	204.40	204.40	
b	Commercial) der ins				
C	Others		***				
d	No. of floors (G+4 floors)		***				

- 11. Rain Water Harvesting Structure (percolation pit) shall be constructed.
- Space for Transformer shall be provided in the site keeping the safety of the residents in view.
- 13. Garbage House shall be made within the premises.
- 14. Cellar and stilts approved for parking in the plan should be used exclusively for parking of vehicles without partition walls & rolling shutters and the same should not be converted or misused for any other purpose.
- 15. Stocking of Building Materials on footpath and road margin causing obstruction to free movement of public & vehicles shall not be done, failing which permission is liable to be suspended.
- The Developer/Builder/Owner to provide service road wherever required with specified standards at their own cost.
- 17. A safe distance from Electrical Lines shall be followed as per rules.
- 18. If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is fulfilled.
- All Public and Semi Public buildings shall provide facilities to physically handicapped persons.
- The mortgaged built up area shall be allowed for registration only after an Occupancy Certificate is produced.
- 21. The Registration authority shall register only the permitted built up area as per sanctioned plan.
- The Financial Agencies and Institutions shall extend loans facilities only to the permitted built up area.
- 23. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under the supervision of Qualified Technical Personnel.
- 24. Architect / Structural Engineer if changed, the consent of the previous Architect / Structural Engineer is required and to be intimated to the Commissioner.
- Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever applicable).

26. As per the undertaking executed in terms of A.P. Building Rules-2012,

- a. The construction shall be done by the owner, only in accordance with sanctioned Plan under the strict supervision of the Architect, Structural Engineer and site engineer failing which the violations are liable for demolition besides legal action.
- b. The owner, builder, Architect, Structural Engineer and site engineer are jointly & severely responsible to carry out and complete the construction strictly in accordance with sanctioned plan.
- c. The Owner, Builder, Architect, Structural Engineer and Site Engineer are jointly and severely are held responsible for the structural stability during the building construction and should strictly adhere to all the conditions.
- d. The Owner / Builder should not deliver the possession of any part of built up area of the building, unless and until Occupancy Certificate is obtained from ULB after providing all the regular service connections to each portion of the building and duly submitting the following.
 - Building Completion Notice issued by the LTP duly certifying that the building is completed as per the sanctioned plan.
 - Structural Stability Certificate issued by the Structural Engineer duly certifying that the building is structurally safe and the construction is in accordance with the specified designs.
 - iii. An extract of the site registers containing inspection reports of Site Engineer, Structural Engineer and Architect.
 - iv. Insurance Policy for the completed building for a minimum period of three years.

- 27. Structural Safety and Fire Safety Requirements shall be the responsibility of the Owner, Builder/ Developer, Architect and St. Engineer to provide all necessary Fire Fighting installations as stipulated in National Building Code of India, 2005 like;
 - i. To provide one entry and one exit to the premises with a minimum width of 4.5mts. and height clearance of 5mts.
 - ii. Provide Fire resistant swing door for the collapsible lifts in all floors.
 - iii. Provide Generator, as alternate source of electric supply.
 - iv. Emergency Lighting in the Corridor / Common passages and staircase.
 - v. Two numbers water type fire extinguishers for every 600 Sq.mts. of floor area with minimum of four numbers fire extinguishers per floor and 5k DCP extinguishers minimum 2 Nos. each at Generator and Transformer area shall be provided as per I.S.I. specification No.2190-1992.
 - vi. Manually operated and alarm system in the entire buildings;
 - vii. Separate Underground static water storage tank capacity of 25, 000 liters Capacity.
 - viii. Separate Terrace Tank of 25,000 liters capacity for Residential buildings;
 - ix. Hose Reel, Down Corner.
 - x. Automatic Sprinkler system is to be provided if the basement area exceed 200 Sq.mts.
 - xi. Electrical Wiring and installation shall be certified by the electrical engineers to ensure electrical fire safety.
 - xii. Transformers shall be protected with 4 hours rating fire resist constructions.
 - xiii. To create a joint open spaces with the neighbors building / premises for maneuverability of fire vehicles. No parking or any constructions shall be made in setbacks area.

Encl: As above.

Yours faithfully, Sd/-R.J.VIDYULLATA CHIEF URBAN PLANNER

//t.c.f.b.o//

n. Jenoalle ADMN. OFFICER (L) 4/8/15

To

The Commissioner, Vizianagaram Municipality, Vizianagaram with a request to release the plans.

Copy to: Smt.M.Ch.Narasayamma & 2 others, D.No.13-11-22, Goudu Veedhi, Vizianagaram Bit-I, Vizianagaram.

The Vice Chairman's Peshi.

I.T. Cell Incharge for uploading in VUDA website.